

Wood burning heater Harvia Pro 20 black

WK200

The Harvia 20 Pro stove is designed for vigorous bathing in medium- sized saunas. The stove has a large stone compartment and steel upper grating. The fire glowing behind the cast-iron-framed glass door adds to the ambience of the sauna. The sturdy 10-millimetre- thick fire chamber cover ensures durability. The model also features adjustable feet to facilitate installation. They can be used, for example, to adjust the height of the smoke outlet. The stove can be equipped with a pipe model water heater. The outer casing of the stove is painted graphite black.



Features

Main material : Steel

H x W x D : 760.0 x 430.0 x 510.0 mm

Net weight (kg) : 58.0

Stone amount (kg) : 40.0

ID	GTIN	Power	Sauna room size min - max m3
WK200	6417659001021	24.1 kW	8.0-20.0

Related products



WL100



WL100


Spare parts

Product	ID	Pcs
Furnace grate	ZKIP-10	1
Connection pipe	ZKIP-130	1
Ashpan RST Pro	ZKIP-721	1
Hinge pin	ZKIP-50	1
Frame with parts for WK200	ZROST-300	1
Handle for stove + screws	ZKIP-670	1
Air flow spoiler Pro 2019	ZROST-601	1
Glass for stove door 184*210 mm	ZTS-36	1

Technical details

Technical data	Type / attribute	WK200
	Color	Black
	Power output	24.1 kW
	Stone sizes	10-15 cm
	Stone amount (kg)	40
Dimensions	Product width (mm)	430
	Product height (mm)	760
	Product depth (mm)	510
	Net weight (kg)	58
	Gross weight	62.3
	Package width	580
	Package height	780
	Package depth	470
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	300
	Safety distance front (combustible materials)	300
	Safety distance right side (combustible materials)	300
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	300
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	300
	Safety distance (Ceiling) (depends on connections and therefore from output, star/delta)	1300
Room min. height (depends on connections and therefore from output, star/delta)	2090	

Technical images



Harvia protective sheaths (all dimensions in millimeters)